

*Art* FLOOR

 **kastamonu**



# Table of contents

<b>AF501</b> Hudson Oak	5	<b>AF509</b> Tyrion Oak	21	<b>AF516</b> Makao Oak	37	<b>AF521</b> Virginia Oak	53
<b>AF503</b> Spring Oak	6	<b>AF510</b> Galion Oak	22	<b>AF530</b> Monel Oak	38	<b>AF522</b> American Elm	54
<b>AF502</b> Nord Oak	9	<b>AF511</b> Stockholm Spruce	25	<b>AF531</b> Travertine	41	<b>AF403</b> Antique Oak	57
<b>AF504</b> White Acacia	10	<b>AF512</b> Sumatra Oak	26	<b>AF533</b> Piedmont Oak	42	<b>AF404</b> Monastery Oak	58
<b>AF505</b> Daily News	13	<b>AF513</b> Fargo Oak	29	<b>AF534</b> Arctic Pine	45	<b>AF523</b> Tripoly Oak	61
<b>AF506</b> Azure Pine	14	<b>AF532</b> Marketry Pine	30	<b>AF517</b> Malaga Elm	46	<b>AF526</b> Cordoba Oak	62
<b>AF507</b> Salvador Oak	17	<b>AF514</b> Canadian Pine	33	<b>AF519</b> American Walnut White	49	<b>AF535</b> Mountain Spruce	65
<b>AF508</b> Discovery	18	<b>AF515</b> Mangolsky Oak	34	<b>AF520</b> Mountain Cherry	50	<b>AF536</b> South Chestnut	66





# AF501

## Hudson Oak

### Specifications

#### BOARD DIMENSIONS

1380 x 195 x 6 mm  
54 1/3 x 7 21/31 x 13/55 in

#### FLOOR AREA PER PACK

2,691 m<sup>2</sup>  
28 28/29 sq. ft

#### NUMBER OF BOARDS PER PACK

10 pcs

#### PACK WEIGHT

15 kg  
33 2/29 lb

#### NUMBER OF PACKS ON PALLET

52 pcs

#### GROSS WEIGHT OF PALLET

795 kg  
1752 35/52 lb

### Application class

## 31

#### BEVEL

No

#### LOCK SYSTEM

UNICLIC

#### SURFACE STRUCTURE

W (Wood)

# AF503

## Spring Oak

### Specifications

#### BOARD DIMENSIONS

1380 x 161 x 8 mm  
54 1/3 x 6 21/62 x 23/73 in

#### FLOOR AREA PER PACK

2,44 m<sup>2</sup>  
26 27/88 sq. ft

#### NUMBER OF BOARDS PER PACK

11 pcs

#### PACK WEIGHT

17 kg  
37 6/11 lb

#### NUMBER OF PACKS ON PALLET

50 pcs

#### GROSS WEIGHT OF PALLET

867 kg  
1910 10/33 lb

### Application class

**32**

#### BEVEL

4V

#### LOCK SYSTEM

UNICLIC

#### SURFACE STRUCTURE

T (Rustic)











# AF502

## Nord Oak

### Specifications

#### BOARD DIMENSIONS

1380 x 195 x 8 mm  
54 1/3 x 7 21/31 x 23/73 in

#### FLOOR AREA PER PACK

2,153 m<sup>2</sup>  
22 43/46 sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

15 kg  
33 2/29 lb

#### NUMBER OF PACKS ON PALLET

52 pcs

#### GROSS WEIGHT OF PALLET

795 kg  
1752 35/52 lb

### Application class

**33**

#### BEVEL

No

#### LOCK SYSTEM

UNICLIC

#### SURFACE STRUCTURE

T (Rustic)

# AF504

White Acacia

## Specifications

### BOARD DIMENSIONS

1380 x 195 x 8 mm

54 1/3 x 7 21/31 x 23/73 in

### FLOOR AREA PER PACK

2,153 m<sup>2</sup>

22 43/46 sq. ft

### NUMBER OF BOARDS PER PACK

8 pcs

### PACK WEIGHT

15 kg

33 2/29 lb

### NUMBER OF PACKS ON PALLET

52 pcs

### GROSS WEIGHT OF PALLET

795 kg

1752 35/52 lb

## Application class

**33**

### BEVEL

No

### LOCK SYSTEM

UNICLIC

### SURFACE STRUCTURE

T (Rustic)









# AF505

## Daily News

### Specifications

#### BOARD DIMENSIONS

1380 x 195 x 8 mm  
54 1/3 x 7 21/31 x 23/73 in

#### FLOOR AREA PER PACK

2,153 m<sup>2</sup>  
22 43/46 sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

15 kg  
33 2/29 lb

#### NUMBER OF PACKS ON PALLET

52 pcs

#### GROSS WEIGHT OF PALLET

795 kg  
1752 35/52 lb

### Application class

**33**

#### BEVEL

No

#### LOCK SYSTEM

UNICLIC

#### SURFACE STRUCTURE

T (Rustic)

# AF506

Azure Pine

## Specifications

### BOARD DIMENSIONS

1380 x 195 x 8 mm

54 1/3 x 7 21/31 x 23/73 in

### FLOOR AREA PER PACK

2,153 m<sup>2</sup>

22 43/46 sq. ft

### NUMBER OF BOARDS PER PACK

8 pcs

### PACK WEIGHT

15 kg

33 2/29 lb

### NUMBER OF PACKS ON PALLET

52 pcs

### GROSS WEIGHT OF PALLET

795 kg

1752 35/52 lb

## Application class

**33**

### BEVEL

No

### LOCK SYSTEM


UNICLIC

### SURFACE STRUCTURE

T (Rustic)











# AF507

## Salvador Oak

### Specifications

#### BOARD DIMENSIONS

1380 x 195 x 8 mm  
54 1/3 x 7 21/31 x 23/73 in

#### FLOOR AREA PER PACK

2,153 m<sup>2</sup>  
22 43/46 sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

15 kg  
33 2/29 lb

#### NUMBER OF PACKS ON PALLET

52 pcs

#### GROSS WEIGHT OF PALLET

795 kg  
1752 35/52 lb

### Application class

**33**

#### BEVEL

No

#### LOCK SYSTEM

UNICLIC

#### SURFACE STRUCTURE

T (Rustic)

# AF508

## Discovery

### Specifications

#### BOARD DIMENSIONS

1380 x 195 x 8 mm

54 1/3 x 7 21/31 x 23/73 in

#### FLOOR AREA PER PACK

2,153 m<sup>2</sup>

22 43/46 sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

15 kg

33 2/29 lb

#### NUMBER OF PACKS ON PALLET

52 pcs

#### GROSS WEIGHT OF PALLET

795 kg

1752 35/52 lb

### Application class

**33**

#### BEVEL

No

#### LOCK SYSTEM


UNICLIC

#### SURFACE STRUCTURE

T (Rustic)









# AF509

## Tyrion Oak

### Specifications

#### BOARD DIMENSIONS

1380 x 195 x 8 mm  
54 1/3 x 7 21/31 x 23/73 in

#### FLOOR AREA PER PACK

2,153 m<sup>2</sup>  
22 43/46 sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

15 kg  
33 2/29 lb

#### NUMBER OF PACKS ON PALLET

52 pcs

#### GROSS WEIGHT OF PALLET

795 kg  
1752 35/52 lb

### Application class

## 33

#### BEVEL

No

#### LOCK SYSTEM

UNICLIC

#### SURFACE STRUCTURE

T (Rustic)

# AF510

## Galion Oak

### Specifications

#### BOARD DIMENSIONS

1380 x 195 x 8 mm  
54 1/3 x 7 21/31 x 23/73 in

#### FLOOR AREA PER PACK

2,153 m<sup>2</sup>  
22 43/46 sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

15 kg  
33 2/29 lb

#### NUMBER OF PACKS ON PALLET

52 pcs

#### GROSS WEIGHT OF PALLET

795 kg  
1752 35/52 lb

### Application class

**33**

#### BEVEL

No


#### LOCK SYSTEM

UNICLIC

#### SURFACE STRUCTURE

T (Rustic)











# AF511

## Stockholm Spruce

### Specifications

#### BOARD DIMENSIONS

1380 x 195 x 8 mm  
54 1/3 x 7 21/31 x 23/73 in

#### FLOOR AREA PER PACK

2,153 m<sup>2</sup>  
22 43/46 sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

15 kg  
33 2/29 lb

#### NUMBER OF PACKS ON PALLET

52 pcs

#### GROSS WEIGHT OF PALLET

795 kg  
1752 35/52 lb

### Application class

**33**

#### BEVEL

No

#### LOCK SYSTEM

UNICLIC

#### SURFACE STRUCTURE

T (Rustic)

# AF512

Sumatra Oak

## Specifications

### BOARD DIMENSIONS

1380 x 195 x 8 mm

54 1/3 x 7 21/31 x 23/73 in

### FLOOR AREA PER PACK

2,153 m<sup>2</sup>

22 43/46 sq. ft

### NUMBER OF BOARDS PER PACK

8 pcs

### PACK WEIGHT

15 kg

33 2/29 lb

### NUMBER OF PACKS ON PALLET

52 pcs

### GROSS WEIGHT OF PALLET

795 kg

1752 35/52 lb

## Application class

**33**

### BEVEL

No

### LOCK SYSTEM


UNICLIC

### SURFACE STRUCTURE

T (Rustic)









# AF513

## Fargo Oak

### Specifications

#### BOARD DIMENSIONS

1380 x 195 x 8 mm  
54 1/3 x 7 21/31 x 23/73 in

#### FLOOR AREA PER PACK

2,153 m<sup>2</sup>  
22 43/46 sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

15 kg  
33 2/29 lb

#### NUMBER OF PACKS ON PALLET

52 pcs

#### GROSS WEIGHT OF PALLET

795 kg  
1752 35/52 lb

### Application class

**33**

#### BEVEL

No

#### LOCK SYSTEM

UNICLIC

#### SURFACE STRUCTURE

T (Rustic)

# AF532

## Marketry Pine

### Specifications

#### BOARD DIMENSIONS

1380 x 195 x 8 mm  
54 1/3 x 7 21/31 x 23/73 in

#### FLOOR AREA PER PACK

2,153 m<sup>2</sup>  
22 43/46 sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

15 kg  
33 2/29 lb

#### NUMBER OF PACKS ON PALLET

52 pcs

#### GROSS WEIGHT OF PALLET

795 kg  
1752 35/52 lb

### Application class

**33**

#### BEVEL

No


#### LOCK SYSTEM


UNICLIC

#### SURFACE STRUCTURE

W (Wood)











# AF514

## Canadian Pine

### Specifications

#### BOARD DIMENSIONS

1380 x 195 x 8 mm  
54 1/3 x 7 21/31 x 23/73 in

#### FLOOR AREA PER PACK

2,153 m<sup>2</sup>  
22 43/46 sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

15 kg  
33 2/29 lb

#### NUMBER OF PACKS ON PALLET

52 pcs

#### GROSS WEIGHT OF PALLET

795 kg  
1752 35/52 lb

### Application class

**33**

#### BEVEL

4V

#### LOCK SYSTEM

UNICLIC

#### SURFACE STRUCTURE

T (Rustic)

# AF515

## Mangolsky Oak

### Specifications

#### BOARD DIMENSIONS

1380 x 195 x 8 mm  
54 1/3 x 7 21/31 x 23/73 in

#### FLOOR AREA PER PACK

2,153 m<sup>2</sup>  
22 43/46 sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

15 kg  
33 2/29 lb

#### NUMBER OF PACKS ON PALLET

52 pcs

#### GROSS WEIGHT OF PALLET

795 kg  
1752 35/52 lb

### Application class

**33**

#### BEVEL

4V

#### LOCK SYSTEM


UNICLIC

#### SURFACE STRUCTURE

T (Rustic)









# AF516

## Makao Oak

### Specifications

#### BOARD DIMENSIONS

1380 x 195 x 8 mm  
54 1/3 x 7 21/31 x 23/73 in

#### FLOOR AREA PER PACK

2,153 m<sup>2</sup>  
22 43/46 sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

15 kg  
33 2/29 lb

#### NUMBER OF PACKS ON PALLET

52 pcs

#### GROSS WEIGHT OF PALLET

795 kg  
1752 35/52 lb

### Application class

**33**

#### BEVEL

4V

#### LOCK SYSTEM

UNICLIC

#### SURFACE STRUCTURE

T (Rustic)

# AF530

Monel Oak

## Specifications

### BOARD DIMENSIONS

1380 x 195 x 8 mm  
54 1/3 x 7 21/31 x 23/73 in

### FLOOR AREA PER PACK

2,153 m<sup>2</sup>  
22 43/46 sq. ft

### NUMBER OF BOARDS PER PACK

8 pcs

### PACK WEIGHT

15 kg  
33 2/29 lb

### NUMBER OF PACKS ON PALLET

52 pcs

### GROSS WEIGHT OF PALLET

795 kg  
1752 35/52 lb

## Application class

**33**

### BEVEL

4V

### LOCK SYSTEM

UNICLIC

### SURFACE STRUCTURE

V (Vintage)











# AF531

## Travertine

### Specifications

#### BOARD DIMENSIONS

1380 x 195 x 8 mm  
54 1/3 x 7 21/31 x 23/73 in

#### FLOOR AREA PER PACK

2,153 m<sup>2</sup>  
22 43/46 sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

15 kg  
33 2/29 lb

#### NUMBER OF PACKS ON PALLET

52 pcs

#### GROSS WEIGHT OF PALLET

795 kg  
1752 35/52 lb

### Application class

## 33

#### BEVEL

4V

#### LOCK SYSTEM

UNICLIC

#### SURFACE STRUCTURE

W (Wood)

# AF533

## Piedmont Oak

### Specifications

#### BOARD DIMENSIONS

1380 x 195 x 8 mm  
54 1/3 x 7 21/31 x 23/73 in

#### FLOOR AREA PER PACK

2,153 m<sup>2</sup>  
22 43/46 sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

15 kg  
33 2/29 lb

#### NUMBER OF PACKS ON PALLET

52 pcs

#### GROSS WEIGHT OF PALLET

795 kg  
1752 35/52 lb

### Application class

**33**

#### BEVEL

4V

#### LOCK SYSTEM


UNICLIC

#### SURFACE STRUCTURE

T (Rustic)









# AF534

## Arctic Pine

### Specifications

#### BOARD DIMENSIONS

1380 x 195 x 8 mm  
54 1/3 x 7 21/31 x 23/73 in

#### FLOOR AREA PER PACK

2,153 m<sup>2</sup>  
22 43/46 sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

15 kg  
33 2/29 lb

#### NUMBER OF PACKS ON PALLET

52 pcs

#### GROSS WEIGHT OF PALLET

795 kg  
1752 35/52 lb

### Application class

**33**

#### BEVEL

4V

#### LOCK SYSTEM

UNICLIC

#### SURFACE STRUCTURE

T (Rustic)

# AF517

## Malaga Elm

### Specifications

#### BOARD DIMENSIONS

1380 x 195 x 8 mm  
54 1/3 x 7 21/31 x 23/73 in

#### FLOOR AREA PER PACK

2,153 m<sup>2</sup>  
22 43/46 sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

15 kg  
33 2/29 lb

#### NUMBER OF PACKS ON PALLET

52 pcs

#### GROSS WEIGHT OF PALLET

795 kg  
1752 35/52 lb

### Application class

**33**

#### BEVEL

4V

#### LOCK SYSTEM

UNICLIC

#### SURFACE STRUCTURE

S (Synchronous)











# AF519

## American Walnut White

### Specifications

#### BOARD DIMENSIONS

1380 x 159 x 10 mm  
54 1/3 x 6 13/50 x 13/33 in

#### FLOOR AREA PER PACK

1,975 m<sup>2</sup>  
37 80/87 sq. ft

#### NUMBER OF BOARDS PER PACK

9 pcs

#### PACK WEIGHT

17 kg  
33 2/29 lb

#### NUMBER OF PACKS ON PALLET

50 pcs

#### GROSS WEIGHT OF PALLET

875 kg  
1929 2/47 lb

### Application class

## 32

#### BEVEL

4V

#### LOCK SYSTEM

UNICLIC

#### SURFACE STRUCTURE

C (Country)

# AF520

## Mountain Cherry

### Specifications

#### BOARD DIMENSIONS

1380 x 193 x 10 mm  
54 1/3 x 7 3/5 x 13/33 in

#### FLOOR AREA PER PACK

2,131 m<sup>2</sup>  
22 43/46 sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

18 kg  
40 1/8 lb

#### NUMBER OF PACKS ON PALLET

44 pcs

#### GROSS WEIGHT OF PALLET

816 kg  
1798 9/17 lb

### Application class

**32**

#### BEVEL

No

#### LOCK SYSTEM


UNICLIC

#### SURFACE STRUCTURE

T (Rustic)









# AF521

## Virginia Oak

### Specifications

#### BOARD DIMENSIONS

1380 x 193 x 10 mm  
54 1/3 x 7 3/5 x 13/33 in

#### FLOOR AREA PER PACK

2,131 m<sup>2</sup>  
22 43/46 sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

18 kg  
40 1/8 lb

#### NUMBER OF PACKS ON PALLET

44 pcs

#### GROSS WEIGHT OF PALLET

816 kg  
1798 9/17 lb

### Application class

## 32

#### BEVEL

No

#### LOCK SYSTEM

UNICLIC

#### SURFACE STRUCTURE

T (Rustic)

# AF522

American Elm

## Specifications

### BOARD DIMENSIONS

1380 x 193 x 10 mm  
54 1/3 x 7 3/5 x 13/33 in

### FLOOR AREA PER PACK

2,131 m<sup>2</sup>  
22 43/46 sq. ft

### NUMBER OF BOARDS PER PACK

8 pcs

### PACK WEIGHT

18 kg  
40 1/8 lb

### NUMBER OF PACKS ON PALLET

44 pcs

### GROSS WEIGHT OF PALLET

816 kg  
1798 9/17 lb

## Application class

**32**

### BEVEL

No


### LOCK SYSTEM


UNICLIC

### SURFACE STRUCTURE

T (Rustic)











# AF403

## Antique Oak

### Specifications

#### BOARD DIMENSIONS

1380 x 159 x 10 mm  
54 1/3 x 6 13/50 x 13/33 in

#### FLOOR AREA PER PACK

1,975 m<sup>2</sup>  
21 10/39 sq. ft

#### NUMBER OF BOARDS PER PACK

9 pcs

#### PACK WEIGHT

17 kg  
37 80/87 lb

#### NUMBER OF PACKS ON PALLET

50 pcs

#### GROSS WEIGHT OF PALLET

875 kg  
1929 2/47 lb

### Application class

**33**

#### BEVEL

4V

#### LOCK SYSTEM

UNICLIC

#### SURFACE STRUCTURE

C (Country)

# AF404

## Monastery Oak

### Specifications

#### BOARD DIMENSIONS

1380 x 159 x 10 mm  
54 1/3 x 6 13/50 x 13/33 in

#### FLOOR AREA PER PACK

1,975 m<sup>2</sup>  
21 10/39 sq. ft

#### NUMBER OF BOARDS PER PACK

9 pcs

#### PACK WEIGHT

17 kg  
37 80/87 lb

#### NUMBER OF PACKS ON PALLET

50 pcs

#### GROSS WEIGHT OF PALLET

875 kg  
1929 2/47 lb

### Application class

**33**

#### BEVEL

4V

#### LOCK SYSTEM


UNICLIC

#### SURFACE STRUCTURE

C (Country)









# AF523

## Tripoly Oak

### Specifications

#### BOARD DIMENSIONS

1380 x 193 x 10 mm  
54 1/3 x 7 3/5 x 13/33 in

#### FLOOR AREA PER PACK

2,131 m<sup>2</sup>  
22 43/46sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

18 kg  
40 1/8 lb

#### NUMBER OF PACKS ON PALLET

44 pcs

#### GROSS WEIGHT OF PALLET

816 kg  
1798 9/17 lb

### Application class

**33**

#### BEVEL

No

#### LOCK SYSTEM

UNICLIC

#### SURFACE STRUCTURE

T (Rustic)

# AF526

## Cordoba Oak

### Specifications

#### BOARD DIMENSIONS

1380 x 193 x 10 mm  
54 1/3 x 7 3/5 x 13/33 in

#### FLOOR AREA PER PACK

2,131 m<sup>2</sup>  
22 43/46sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

18 kg  
40 1/8 lb

#### NUMBER OF PACKS ON PALLET

44 pcs

#### GROSS WEIGHT OF PALLET

816 kg  
1798 9/17 lb

### Application class

**33**

#### BEVEL

No

#### LOCK SYSTEM


UNICLIC

#### SURFACE STRUCTURE

T (Rustic)











# AF535

## Mountain Spruce

### Specifications

#### BOARD DIMENSIONS

1380 x 193 x 10 mm  
54 1/3 x 7 3/5 x 13/33 in

#### FLOOR AREA PER PACK

2,131 m<sup>2</sup>  
22 43/46sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

18 kg  
40 1/8 lb

#### NUMBER OF PACKS ON PALLET

44 pcs

#### GROSS WEIGHT OF PALLET

816 kg  
1798 9/17 lb

### Application class

**33**

#### BEVEL

4 Mountain Spruce

#### LOCK SYSTEM

UNICLIC

#### SURFACE STRUCTURE

C (Country)

# AF536

## South Chestnut

### Specifications

#### BOARD DIMENSIONS

1380 x 193 x 10 mm  
54 1/3 x 7 3/5 x 13/33 in

#### FLOOR AREA PER PACK

2,131 m<sup>2</sup>  
22 43/46sq. ft

#### NUMBER OF BOARDS PER PACK

8 pcs

#### PACK WEIGHT

18 kg  
40 1/8 lb

#### NUMBER OF PACKS ON PALLET

44 pcs

#### GROSS WEIGHT OF PALLET

816 kg  
1798 9/17 lb

### Application class

**33**

#### BEVEL

4 Mountain Spruce

#### LOCK SYSTEM

UNICLIC

#### SURFACE STRUCTURE

C (Country)







**AF501  
HUDSON OAK**



**AF503  
SPRING OAK**



**AF502  
NORD OAK**



**AF504  
WHITE ACACIA**



**AF505  
DAILY NEWS**



**AF506  
AZURE PINE**



**AF507  
SALVADOR OAK**



**AF508  
DISCOVERY**



**AF509  
TYRION OAK**




**AF510  
GALION OAK**



**AF511  
STOCKHOLM SPRUCE**



**AF512  
SUMATRA OAK**



**AF513  
FARGO OAK**



**AF532  
MARKETRY PINE**



**AF514  
CANADIAN PINE**



**AF515  
MANGOLSKY OAK**



**AF516  
MAKAO OAK**



**AF530  
MONEL OAK**



**AF531  
TRAVERTINE**



**AF533  
PIEDMONT OAK**



**AF534  
ARCTIC PINE**



**AF517  
MALAGA ELM**



**AF519  
AMERICAN WALNUT WHITE**



**AF520  
MOUNTAIN CHERRY**



**AF521  
VIRGINIA OAK**



**AF522  
AMERICAN ELM**




**AF403  
ANTIQUÉ OAK**



**AF404  
MONASTERY OAK**




**AF523  
TRIPOLY OAK**



























**AF526  
CORDOBA OAK**



**AF535  
MOUNTAIN SPRUCE**



**AF536  
SOUTH CHESTNUT**

 Bevel sign	 Scratch-resistant laminate	 Product packaging cannot be used for food products, including their storage	 Certificate of the suitability of materials and products for use in construction on the territory of the Republic of Belarus
 Award "100 Best Goods of the Russian Federation"	 Resistance to light. The color and gloss do not change when exposed to sunlight.	 Sign of the European Packaging Recycling and Disposal Standard (20-corrugated cardboard)	 Wear resistance when moving furniture
 Maximum temperature of the underfloor heating system must not exceed 28° c	 Kastamonu uses a patented licensed technology of the connecting click	 Shockproof High resistance to various mechanical damages	 Certificate of conformity certifying compliance with requirements of Federal Law No. 123 «Technical Regulations on Fire Safety Requirements»
 Resistance to high temperatures (for example, unextinguished cigarette)	 Efi class - fire hazard classification of flooring materials	 Environmentally friendly	 Antistatic (does not attract dust)
 Hygienic, does not require special care, easy-to-clean, just sweep or wipe with a mop.	 E1 class - guarantees low formaldehyde content in the plate material	 Glue-free system for assembling and disassembling of the click	 Good thermal conductivity. Compatible with the «heated floors» system
 Stain-resistant	 DL class - guarantees the absence of pentachlorophenol in the finished product <small>&lt; 5 ppm</small>	 High-density fiberboard (HDF) base	 Non-slip flooring class <small>&gt; 0.1</small>



Installation instructions



## **SALES OFFICE**

KASTAMONU MARKETING AND TRADE LLC  
117638, Russia, Moscow, Odesskaya street, 2 block A,  
Business center «Lotus»

Tel: +7 495 785 77 30

e-mail: [sales@keas.ru](mailto:sales@keas.ru)

## **FACTORY**

KASTAMONU INTERGRATED WOOD INDUSTRY LLC  
423600, Russian Federation, Tatarstan Republic, Elabuga district,  
SH-3 Street (SEZ Alabuga territory), building 3/3

Tel: +7 85557 5 31 00

e-mail: [info@keas.ru](mailto:info@keas.ru)

[www.kastamonu.ru](http://www.kastamonu.ru)