



Details making the difference

VALUABLE. ORIGINAL. NATURAL


Evogloss trend decors will inspire you with original color choices, impressive style and beauty of simplicity.

EVOGLOSS TECHNICAL FEATURES

EVOGLOSS panels are obtained by coating the surface of high quality MDF panels with pvc and/or pet foils having more than a hundred glossy and matte decor options. Evogloss panel options offer you the opportunity to create unique, modern and aesthetic living spaces.

The front surface of the panels is covered with Evogloss PVC or PET and the back side is covered with white impregnated paper or lining.

PANEL FEATURES



PET - PVC COATING

High-grade, scratch- and fade-resistant decorative coating

Strong board with high pressure resistance that fits for E1 norms

IMPREGNATED PAPER

Impregnated decorative paper

BOARD TYPE	MDF
PANEL THICKNESS*	8-18 mm
	1220x2800 mm
PANEL SIZES	122032000 111111
FOLIO THICKNESS	0,2 mm - 0,25 mm - 0,3 mm - 0,4 mm
FOLIO TYPE	PVC and/or PET

^{*}Production in different sizes within the range requires a certain order quantity.

PANEL ADVANTAGES

Modern glossy and matte patterns leading the trends, adding deepness to your living spaces with high gloss, stylish looking and mirror-effect glossy surfaces, bringing naturalness to your living spaces with matte surfaces, preserving the first day appearance for many years due to high resistance to fading characteristics, being easy to clean as well as having no loss of brightness on the surfaces due to cleaning.



HIGH GLOSS (GLOSSY)



MIRROR EFFECT (GLOSSY)



SOFT TOUCH (MATTE)



RESISTANT TO STAIN



RESISTANT TO SCRATCHING



FASY CLEAN



RESISTANT TO CRACKING



LOW MICBO SCRATCHES

PANEL STORAGE AND CONDITIONS OF USE

The ideal storage temperature is room temperature (23 °C). It should not be exposed to direct sunlight and heat for a long time. Solvents, thinners or abrasive cleaning agents should not be used while cleaning the surface. It should be stored using appropriate load carriers without extra load on the flat surface. It should not be left for long periods in dusty environments with high air flow rates.

ss PET and PVC are surface materials with a UV resistance rating of Gray Scale 4/5 or higher according to the standards of EN



8-18 mm thickness. 1220x2800 mm sized panels are produced.


TECHNICAL FEATURES

TEST	UNIT OR FEATURE		THICKNESS RANGE (RATED)	
WIETHOD			t<15	15≤t≤20
EN 14323	mı	n	+0,5/-0,3 t ^{max} - t ^{min} ≤ 0,6	
EN 14323	mı	n	±:	5
EN 14323	mm	ı/m	-	≤2
EN 323	%	,	±7	
EN 14323	m	2	4 pieces in 1 m² between 0-2,5 3 pieces in 1 m² between 2,5 - 6 2 pieces in 1 m² between 6-10 1 piece in 1 m² between 10-15	
CEN/TS 16611 (Method A)	% cha	ange	≤ 10	
EN 15186 Method B	N		≥ 0,5	
EN 12722	Rating		5	
EN 15187	Scale		Grey scale ≥4/5 Blue wool scale >6	
TSE K 479	Obser	Observation min. 6		ո. 6
EN 13722	Gloss Unit (GU)		7	0
EN 13721	ΔE (L	ΔE (L, a, b) <1		1
EN 12720+A1	Class		min. 3 (16 h)	
EN 12721	Rating	Pet		5
EIN 12/21	7 13411 19	Pvc&Pvc +Pet		4
EN ISO 12460-3	mg/m² air		E0 < 1,75, E1 ≤ 3,5 E	$62; 3,5 < \text{release} \le 8$
	EN 14323 EN 14323 EN 14323 EN 14323 EN 323 EN 14323 EN 14323 EN 15186 Method A) EN 15186 Method B EN 12722 EN 15187 TSE K 479 EN 13722 EN 13721 EN 12720+A1 EN 12721	TEST METHOD FEAT MITHOD EN 14323 mr EN 14323 mr EN 14323 mr EN 323 % EN 14323 mr CEN/TS 16611 (Method A) % characteristics (Method A) N EN 15186 Method B N EN 12722 Ration EN 15187 Scaracteristics TSE K 479 Observation EN 13722 Glossa (Gillaman) EN 13721 ΔE (L EN 12720+A1 Cla EN 12721 Rating	TEST METHOD FEATURE METHOD FEATURE mm mm EN 14323 mm EN 14323 mm/m EN 323 % EN 14323 m² CEN/TS 16611 (Method A) % change EN 15186 Method B N EN 12722 Rating EN 12722 Rating EN 15187 Scale TSE K 479 Observation EN 13722 Gloss Unit (GU) EN 13721 ΔE (L, a, b) EN 12720+A1 Class EN 12721 Rating Pet Pvc&Pvc +Pet	TEST METHOD FEATURE (RATMETHOD) mm t<15

It is prepared with reference to TSEK 517 Standard. Some criteria and tolerances required for competence are specific to Kastamonu Entegre, and the right to evaluate and change is reserved to those authorized by Kastamonu Entegre.

EVOGLOSS DECORS







The colors may vary on digital media. Please check with original sample.

EVOGLOSS DECORS








P252 DARK OXIDIZED COPPER



P264 OXIDIZED MODERN








valuable

Gold: the most sought-after and valuable element in history. A "special value" that is easy to forge, enduring and freestanding in the nature. Brush Gold is a bright novity that enriches your living space and is seen at first glance. Ideal for extraordinary designs.












Innovation enriching the living space











Page 18-19










original

An original structure, unduplicable essence, nonimitated beauty. These very definitions equal to Soft Matte Blue. Colour of freedom and authenticity... A new point of view in your designs, a dynamic approach putting an end to the mediocre... And a tuneful character completing all the above... A unique style...

















UNI DECORS

P001	SOFT TOUCH LACQUER WHITE	PVC	P256	VINTAGE CREAM	PET
P002	SOFT TOUCH CREAM	PVC	P257	VINTAGE BROWN	PET
P003	SOFT TOUCH DARK GRAY	PVC	P258	VINTAGE GREEN	PET
P004	SOFT TOUCH STORM GRAY	PVC	P259	HIGH GLOSS METAL	PET
P005	SOFT TOUCH NEW GRAY	PVC	P260	WHITE PEARL	PVC
P006	SOFT TOUCH BLACK	PVC	P261	BLACK PEARL	PVC
P007	SOFT TOUCH MOCCA	PVC	P262	LIGHT OXIDIZED GREY	PET
P008	SOFT TOUCH MINK	PVC	P263	DARK OXIDIZED GREY	PET
P010	SOFT TOUCH MINT	PVC	P264	OXIDIZED MODERN	PET
P011	SOFT TOUCH OCEAN BLUE	PVC	P208	GALAXY WHITE	PET
P012	SOFT TOUCH BLUE	PVC	P209	GALAXY CREAM	PET
P013	SOFT TOUCH LIGHT GREY	PET	P210	GALAXY GOLD	PET
P100	WHITE	PET	P211	GALAXY METALLIC ANTHRACITE	PET
P101	BIANCO	PET	P230	DARK HONEY MIST	PVC
P102	CREAM	PET	P231	GALAXY BLACK	PVC
P103	MINK	PET	P234	WHITE SAHARA	PET
P104	BLACK	PET	P235	BLACK SAHARA	PET
P105	DAMSON	PET	P239	WHITE COMB	PET
P106	RED	PET	P240	CREAM COMB	PET
P107	MERLO	PET	P244	TERRA STAR	PVC
P110	ANTHRACITE	PET	P265	BRUSH BRONZE	PVC
P112	YELLOW	PVC	P266	DARK INOX	PVC
P113	ORANGE	PVC	P267	BRONZE INOX	PVC
P114	TURQUOISE	PVC	P268	BRUSH GOLD	PVC
P115	MIDNIGHT BLUE	PVC			
P116	LIGHT GREY	PET			

WOOD DECORS

P300	EBONY	PVC
P304	EUROPE TEAK	PVC
P306	METALLIC ELM	PVC
P307	OREGON WALNUT	PVC
P308	WHITE OAK	PVC
P309	MILANO WALNUT	PET
P310	IMPERIAL WALNUT	PET
P313	SONOMO OAK	PVC
P315	BAMBOO	PVC

FANTASY DECORS

P206	IVY WHITE	PVC/PET
P207	FLOWER BLACK	PVC/PET
P213	INOX	PVC
P217	TERRA BROWN	PVC
P218	MATRIX PEARL	PVC/PET
P219	MATRIX ROSE	PVC/PET
P246	TERRA LATTE	PVC
P249	EMPREDOR BROWN	PVC
P250	EMPREDOR BEIGE	PVC
P251	LIGHT OXIDIZED COPPER	PET
P252	DARK OXIDIZED COPPER	PET
P253	S. TOUCH LIGHT OXIDIZED GREY	PET
P254	S. TOUCH DARK OXIDIZED GREY	PET
P255	S. TOUCH OXIDIZED MODERN	PET

bridging nature and life



