



PALACE

FLOORPAN
'Laminate Flooring'

Brochure 2023

 **KASTAMONU**



Healthy Living Spaces with the Laminate Flooring Collections Having Hygiene+ Feature

To live a healthy life, It is extremely important to have living spaces that are clean and free from bacteria. Manufactured with advanced technology, all the products in our laminate flooring collections with Hygiene+ feature leave no space for bacteria to reproduce. Bacteria and microbe can be transferred to the flooring via shoes, spilled liquids, pets and other sources. However, the Hygiene+ feature does not allow bacteria and the microbes to reproduce. Both you and your loved ones' health are protected.

The results of tests conducted on our laminate flooring collections with Hygiene+ feature have proved that the bacterial activity expected to be seen is blocked up to 99.9% within 24 hours.

(Tested according to ISO 22196)



Worlds First Eco Label “Blue Angel” Belongs to Floorpan for the First Time in Turkey

“The Blue Angel” is a certificate stating that laminate flooring products do not contain any chemicals that could be hazardous to health or environment.



The touch that carries the impressive spirit of the past to the present.
An inspiration that sheds light on today's trends.
An indispensable element of creative and striking designs... **PALACE**

FLOORPAN **PALACE**




PALACE



FPL001 VERSAY (LAC)



AC4 10 mm



Panel / Package: 5 Pieces
Package: 2,42 m² -21 kg



FPL002 PENA (LAC)

15 YEARS
DOMESTIC USE
GUARANTEE

AC4

15 YEARS
COMMERCIAL USE
GUARANTEE

Hygiene

BLUE ANGEL

www.blau-angel.de/tel 711

VERBODEN OMGEVENINGEN


A+

Product of the ISO 9001:2015 Quality Management System is required.

ISO 9001

UNIDROP

PATENTED TECHNOLOGY





FPL003 ÇIRAĞAN (LAC)

15 YEARS
DOMESTIC USE
GUARANTEE

AC4

15 YEARS
COMMERCIAL USE
GUARANTEE

EN 15343-1:2017

Hygiene

BLUE ANGEL

THE GERMAN ECO LABEL

www.blau-engel.de/tut-716

VERBODEN OMGEVENINGEN


A+

ISO 9001

Product of the factory where
ISO 9001 Quality Management
System is applied

UNIDROP

PATENTED TECHNOLOGY





FPL004 DOLMABAHCÉ (LAC)

15 YEARS
DOMESTIC USE
GUARANTEE

AC4

15 YEARS
COMMERCIAL USE
GUARANTEE

19 09 10227-447

Hygiene

BLUE ANGEL

THE GERMAN QUALITY

www.blau-angel.de/tut-716

VERBODEN OMGEVENINGEN


A+

ISO 9001

Product of the factory where
ISO 9001 Quality Management
System is applied

UNIDROP

PATENTED TECHNOLOGY





FPL005 EL HAMRA (LAC)

15 YEARS
DOMESTIC USE
GUARANTEE

AC4

15 YEARS
COMMERCIAL USE
GUARANTEE

EN 15343-1:2017

Hygiene

BLUE ANGEL

THE GERMAN STANDARD

www.blaue-angels.de/ul71

VERBODEN OM TOEGANG TE VERBODEN


A+

ISO 9001

Product of the factory where
ISO 9001 Quality Management
System is applied

UNIDROP

PATENTED TECHNOLOGY





FPL006 POTALA (LAC)

15 YEARS
DOMESTIC USE
GUARANTEE

AC4

15 YEARS
COMMERCIAL USE
GUARANTEE

Hygiene

BLUE ANGEL

THE GERMAN STANDARD

AC+
A B C


AC4

ISO 9001

Product of the factory where
ISO 9001 Quality Management
System is applied


UNIDROP

PATENTED TECHNOLOGY




FLOORPAN


The Advantages of Laminate Flooring




FAST AND EASY ASSEMBLY




RESISTANT TO SCRATCH




SUITABLE FOR UNDERFLOOR HEATING




E1 GRADE




RESISTANT TO POINT STRIKES




RESISTANT TO FURNITURE
WHEEL ABRASION




ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD




EASILY CLEANED AND
MAINTAINED, HYGIENIC



RESISTANT TO CIGARETTE FIRE




NOT AFFECTED BY STAINS



RESISTANT TO UV RAYS





01 - OVERLAY

HIGH QUALITY SURFACE PROTECTION RESISTANT TO WEAR AND SCRATCH

02 - DECOR PAPER

REFLECTING THE CHARACTERISTICS OF THE PRODUCT WITH A UNIQUE DESIGN

03 - HDF

STRONG BASE PANEL, RESISTANT TO HIGH PRESSURE PRODUCED AS PER E1 NORM

04 - BALANCE PAPER

PROTECTS AGAINST HUMIDITY AND DISTORTION

Laminate Flooring Classification

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1	AC2	AC3		AC4	AC5	AC6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500
RESISTANCE TO STAINS	Min. 4 (group 1 and 2) Min. 3 (group 3)		Min. 5 (group 1 and 2) Min. 4 (group 3)		Min. 5 (group 1, 2, 3)		

bridging **nature and life**