

FLOORPAN

GREEN 31^{CLASS} 7^{MM}

Living better is easy!



FLOORPAN

GREEN 31^{CLASS} 7^{MM}

Specifications

Board dimensions	1380 x 195 x 7 mm 54 1/3 x 7 21/31 x 8/29 in
Floor area per pack.....	2,691 m ² 28 28/29 sq. ft
Number of boards per pack.....	10 pcs
Pack weight	17 kg 37 11/23 lb
Number of packs on pallet	52 pcs
Gross weight of pallet	894 kg 1970 15/16 lb
Application class.....	31
Bevel.....	No
Lock system.....	UNICLIC
Surface structure	T (Rustic) W (Wood)



Due to the technical features of the flooring the decor images in this catalog may vary slightly from the decor of the actual laminate flooring.

«Simplicity is genius»,

This is what we say about things that can easily change our lives for the better. We are used to having refrigerators, running water and fountain pens, things that were innovations in their day, and which changed our daily lives. Today transforming your interior with laminate flooring can be as simple as using a vacuum cleaner. Lighters, toothbrushes, cameras, these are all things, just like Floorpan laminate, which have proven that change for the better can be found in simplicity.

To inspire you to make positive changes to your life, we offer you our special collections: a collection of stories about useful inventions, and the KASTAMONU Floorpan laminate flooring collection. We believe that living better is easy and we are here to help you achieve this.

Crumbs! The day rubber took over

Before the advent of erasers, ordinary bread crumbs were used to rub out pencil marks. But one day in 1770, the English chemist Joseph Priestley noticed that the friction of rubber on paper electrified and hence attracted graphite particles, and hereby the eraser came into being.

American Charles Goodyear heard about the invention, and in 1839 he discovered the rubber vulcanization process to make rubber more resistant to heat and cold. Today, in addition to natural rubber for the production of erasers, we use synthetic rubber, PVC and other polymers.








Stockholm Oak

FP102



Jakarta Oak

FP103










Liverpool Oak

FP104



Bologna Oak

FP109





GREEN 31^{CLASS} 7^{MM}



Stockholm Oak

FP102



Jakarta Oak

FP103
































Liverpool Oak

FP104



Bologna Oak

FP109

 Non-slip flooring class	 Scratch-resistant laminate	 Product packaging cannot be used for food products, including their storage	 Certificate of the suitability of materials and products for use in construction on the territory of the Republic of Belarus
 Award "100 Best Goods of the Russian Federation"	 Resistance to light. The color and gloss do not change when exposed to sunlight.	 Sign of the European Packaging Recycling and Disposal Standard (20-corrugated cardboard)	 Wear resistance when moving furniture
 Maximum temperature of the underfloor heating system must not exceed 28° C	 Kastamonu uses a patented licensed technology of the connecting click	 Shockproof High resistance to various mechanical damages	 Certificate of conformity certifying compliance with requirements of Federal Law No. 123 «Technical Regulations on Fire Safety Requirements»
 Resistance to high temperatures (for example, unextinguished cigarette)	 Efl class - fire hazard classification of flooring materials	 Environmentally friendly	 Antistatic (does not attract dust)
 Hygienic, does not require special care, easy-to-clean, just sweep or wipe with a mop.	 E1 class - guarantees low formaldehyde content in the plate material	 Glue-free system for assembling and disassembling of the click	 Good thermal conductivity. Compatible with the «heated floors» system
 Stain-resistant	 DL class - guarantees the absence of pentachlorophenol in the finished product	 High-density fiberboard (HDF) base	 2016 Dop: L-001 EN 14041:2004/AC:2006 KASTAMONU INTEGRATED WOOD INDUSTRY LLC 12300, Moscow, Federation of Russia, Republic of Belarus district, Sh-3 Street (SEZ "AMUga territory"), building 2/3
 Confirmation of availability of IMS certificates certifying compliance with standards of EN ISO 9001, EN ISO 14001, OHSAS 18001, registration numbers of certificates and name of the certification authority having issued the certificate	 31		
		 YEARS 5 ГЕТА ГАРАНТІЯ НА КОМЕРЦІЙНІ ПОВЕРХНІ	 YEARS 10 ГЕТА ГАРАНТІЯ НА РЕЗИДЕНЦІЙНІ ПОВЕРХНІ
		Installation instructions	

SALES OFFICE

KASTAMONU MARKETING AND TRADE LLC
117638, Russia, Moscow, Odesskaya street, 2 block A,
Business center «Lotus»

Tel: +7 495 785 77 30

e-mail: sales@keas.ru

FACTORY

KASTAMONU INTERGRATED WOOD INDUSTRY LLC
423600, Russian Federation, Tatarstan Republic, Elabuga district,
SH-3 Street (SEZ Alabuga territory), building 3/3

Tel: +7 85557 5 31 00

e-mail: info@keas.ru

www.kastamonu.ru

