

FLOORPAN

ORANGE 32^{CLASS} 8^{MM} 

Living better is easy!



FLOORPAN

ORANGE 32^{CLASS} 8^{MM} 

Specifications

Board dimensions	1380 x 195 x 8 mm 54 1/3 x 7 21/31 x 23/73 in
Floor area per pack.....	2,153 m ² 23 5/29 sq. ft
Number of boards per pack.....	8 pcs
Pack weight	15 kg 33 2/29 lb
Number of packs on pallet	60 pcs
Gross weight of pallet	915 kg 2017 5/22 lb
Application class.....	32
Bevel.....	4V
Lock system.....	UNICLIC
Surface structure	S (Synchronous)



Due to the technical features of the flooring the decor images in this catalog may vary slightly from the decor of the actual laminate flooring.

«Simplicity is genius»,

This is what we say about things that can easily change our lives for the better. We are used to having refrigerators, running water and fountain pens, things that were innovations in their day, and which changed our daily lives. Today transforming your interior with laminate flooring can be as simple as using a vacuum cleaner. Lighters, toothbrushes, cameras, these are all things, just like Floorpan laminate, which have proven that change for the better can be found in simplicity.

To inspire you to make positive changes to your life, we offer you our special collections: a collection of stories about useful inventions, and the KASTAMONU Floorpan laminate flooring collection. We believe that living better is easy and we are here to help you achieve this.



Until the last drop

Mankind has drunk juice since the earliest days. However, squeezing it has never been an easy task. The first mechanical juicers, reminiscent of a hand grinder, appeared in the late XIX century. The crushed puree from the juicer was then placed in a canvas bag in a press. The first centrifugal electric juicer was invented in 1933 in the United States. For more than 50 years, this device evolved into its modern form, becoming lighter, more compact and quieter. It can now lay waste to even the hardest of fruits and vegetables.






Moon Oak

FP951



Pearl Oak

FP952










San Marino Oak

FP953.1



Tirol Oak

FP954










Natur Oak

FP955



Caramel Oak

FP956





ORANGE 32^{CLASS} 8^{MM}



Moon Oak

FP951




Pearl Oak

FP952



San Marino Oak

FP953.1




Tirol Oak

FP954










Natur Oak

FP955



Caramel Oak

FP956

 Non-slip flooring class	 Scratch-resistant laminate	 Product packaging cannot be used for food products, including their storage	 Certificate of the suitability of materials and products for use in construction on the territory of the Republic of Belarus
 Award "100 Best Goods of the Russian Federation"	 Resistance to light. The color and gloss do not change when exposed to sunlight.	 Sign of the European Packaging Recycling and Disposal Standard (20-corrugated cardboard)	 Wear resistance when moving furniture
 Maximum temperature of the underfloor heating system must not exceed 28° C	 Kastamonu uses a patented licensed technology of the connecting click	 Shockproof High resistance to various mechanical damages	 Certificate of conformity certifying compliance with requirements of Federal Law No. 123 «Technical Regulations on Fire Safety Requirements»
 Resistance to high temperatures (for example, unextinguished cigarette)	 Efl class - fire hazard classification of flooring materials	 Environmentally friendly	 Antistatic (does not attract dust)
 Hygienic, does not require special care, easy-to-clean, just sweep or wipe with a mop.	 E1 class - guarantees low formaldehyde content in the plate material	 Glue-free system for assembling and disassembling of the click	 Good thermal conductivity. Compatible with the «heated floors» system
 Stain-resistant	 DL class - guarantees the absence of pentachlorophenol in the finished product	 High-density fiberboard (HDF) base	 2016 Dop: L-001 EN 14041:2004/AC:2006 KASTAMONU INTEGRATED WOOD INDUSTRY LLC 12300, Moscow-Federalist, Belarus-Republic Barysaў distrikt, 39x3 Street (SEZ-AMMega territory), Minsk 2016
 Confirmation of availability of IMS certificates certifying compliance with standards of EN ISO 9001, EN ISO 14001, OHSAS 18001, registration numbers of certificates and name of the certification authority having issued the certificate	 32		



Installation instructions

SALES OFFICE

KASTAMONU MARKETING AND TRADE LLC
117638, Russia, Moscow, Odesskaya street, 2 block A,
Business center «Lotus»

Tel: +7 495 785 77 30

e-mail: sales@keas.ru

FACTORY

KASTAMONU INTERGRATED WOOD INDUSTRY LLC
423600, Russian Federation, Tatarstan Republic, Elabuga district,
SH-3 Street (SEZ Alabuga territory), building 3/3

Tel: +7 85557 5 31 00

e-mail: info@keas.ru

www.kastamonu.ru