

# CERTIFICATE

of constancy of performance

**1922 - CPR - 2443**

In compliance with Regulation (EU) 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

**Wood-based panels for use in construction.**

**Wood-based panels for internal use as a structural component in dry conditions**

**Controlled characteristic: Reaction to fire**

(For list of controlled characteristic and description of the product see Annex I to 1922-CPR-2443 that are inseparable parts of this certificate)

placed on the market under the name or trade mark of

**KASTAMONU ENTEGRE AĞAÇ SANAYİ VE TİCARET A. Ş.**

**Altunizade Mh. Kısıklı Cd. No:13 34662 Üsküdar / İstanbul / Türkiye**

and produced in the manufacturing plant

**KASTAMONU ENTEGRE AĞAÇ SANAYİ VE TİCARET A. Ş.**

**Kömürcüoğlu Cad. 4512. Sok. No:6 41400, Gebze / Kocaeli/ Türkiye**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

**EN 13986:2004+A1:2015**

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on 20.08.2025 and will remain valid until 20.08.2026 as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body. The certificate is supported through annual surveillance audit and is reissued after each surveillance audit. The validity of the certificate may be confirmed in the CE register at the web address [www.dedal-bg.net](http://www.dedal-bg.net).



Attestation & Certification

Manager:

*Banuba*

dipl. eng. Anna Vasileva

Issued:  
Burgas, 20 August 2025

Ref. No. 01-00



**ANNEX I TO CERTIFICATE OF CONSTANCY OF PERFORMANCE**  
**1922-CPR-2443/ 20.08.2025 (page 1/1)**

**MDF/ Fibreboard**

6 mm MEDEPAN - Reaction to fire class C-s2,d0

8 mm MEDEPAN - Reaction to fire class C-s2,d0

12 mm MEDEPAN - Reaction to fire class C-s2,d0

18 mm MEDEPAN - Reaction to fire class B-s1,d0

**Melamine Faced Board**

18 mm MEDELAM - Reaction to fire class B-s1,d0


18 mm TEKNOLAM - Reaction to fire class B-s1,d0

28 mm TEKNOLAM - Reaction to fire class B-s1,d0

**Particle Boards**

18 mm TEKNOPAN - Reaction to fire class C-s2,d0

28 mm TEKNOPAN - Reaction to fire class C-s2,d0



Attestation & Certification

Manager:

*Anna Vasileva*



dipl. eng. Anna Vasileva

Issued:  
Burgas, 20 August 2025

Ref. No. 01-00